



Ares LRF Series
Thermal Imaging

Thermal Imaging Scope Ares360L

Technical Specifications



ThermTec Technology Co., Ltd.
Email: info@thermeyertec.com
Website: <https://www.thermeyertec.com>



Ares 360L

Key Features

- Support video recording and snapshot, built-in memory chip up to 16GB;
- Excellent VOx 12μm detector, 384*288 thermal resolution, NETD≤25mk;
- Built-in laser rangefinder, accurately measure the distance up to 1,000m;
- Picture in picture & RAV function;
- 1x - 5x continuous digital zoom;
- Various pseudo colors and crosshair function;
- Polarity reversal for crosshairs, easy battery installation;
- 1024*768 resolution with 0.39 inch OLED display;
- Up to 12h continuous working for lithium battery;
- Support easy shift of dual-field of view: Focal length 20/60mm;

Applications

- Night hunting
- Patrolling
- Rescue operations
- Observation

Specifications



Model	ARES360L
Type	Uncooled
Resolution	384x288
Pixel pitch	12μm
NETD	≤25mk
Spectral range	8-14μm
Frame rate	50HZ
Optics	
Objective lens	20/60mm, F1.0
Field of view	13.1°x9.8°/ 4.4°x3.3°
Magnification	1.8X/5.5X
Digital zoom	1.0-5.0X smooth & rapid zoom
Eye relief	50mm
Exit pupil	6mm
Diopter	±5D
Aiming Reticle	
Click range, m @100 m (H/V)	3.6m/3.6m
Reticle	7
Reticle color	Black and white
Display	
Type	AMOLED
Resolution	1024x768
Display size	0.39 inch
Color palette	6

Function	
Max. recoil power on rifled weapon	6,000J
Mounting brackets on weapon	Standard 30mm rings
RAV	Yes
Auto zeroing	Yes
Manual zeroing	Yes
Zeroing profiles	5
Picture-in-picture	Yes
Laser ranging	1,000m
Image calibration	Via lens cover
Video Recorder	
Photo/video playback	Yes
Built-in memory	16GB
Interface	
Type C	Data transfer
Wi-Fi	Yes
Battery	
Battery type	Replaceable, 18650 or 18500 battery
Built-in Battery	5000mAh, rechargeable
Battery life	12h
Environment	
Operating temperature	-20- +50°C
IP rating	IP67
Weight, g	1,250
Dimension, mm	438(L)x84(W)x105(H)
Accessories	
External cable	USB data cable
Other accessories	2x standard 30mm rings,eyeshade and etc.

Accessories



Scope (x1)



18650 battery cap (x1)



USB cable (x1)



Eyeshade (x1)



18500 battery cap (x1)




30mm tube clip (x2)



Lithium battery (x2)



Charger(X1)



Lens cloth (x1)

Dimension

Unit: mm

